

**BlueLeaf Laboratory** 673 N. Bardstown Rd. Mount Washington, KY, 40047

(502) 444-2044 www.blueleaflaboratory.com Lic # 19-05-02P



# Certificate **Analysis**

Nov 18,2021 | Central Processors, Inc.

2413 Leaphart Rd West Columbia, SC, 29169 888-654-3223









Matrix: Derivative

Accession Number: 111621UD0002 Harvest/Lot ID: CP1121CC

Seed to Sale: \*

Batch Date: 11/15/21

Batch #:

Sample Size Received: 50 ml

Retail Product Size:


Ordered: 11/15/21 Completed: 11/18/21

Expires: 11/17/22

Sampling Method: SOP Client Method

#### **CANNABINOID RESULTS**

Total THC	Total CBD	<b>Total Cannabinoids</b>
0.000%	99.550%	99.767%



Analyzed by Date Instrument used **Analysis Method** 11/17/2021 Shimadzu HPLC w/ PDA

Full spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection (HPLC-PDA), SOP.KY.02.005 for sample prep and SOP.KY.02.012 for analysis. % = %w/w = Percent (Weight of Analyte/Weight Product) Total Cannabinoids result reflects the absolute sum of all cannabinoids detected. \*\*Total Potential THC/CBD is calculated using the following formulas to take into account the loss of a carboxyl group during decarboxylation Total THC = THC + (THCa\*0.877) Total CBD = CBD + (CBDa\*0.877)

Filth & Foreign Matter

PASSED

Analyzed by Date

11/17/2021

Instrument used

**Analysis Method** 

Microscope (Amscope)

SOP, KY, 02, 011

This includes but is not limited to hair, insects, feces, packaging contaminants, and manufacturing waste and by-products. An SH-2B/T Stereo Microscope is used for inspection. (Method: SOP.KY.02.011)

This report shall not be reproduced, unless in its entirety, without written approval from BlueLeaf Laboratory. This report is an BlueLeaf Laboratory certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit Of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds for human safety for consumption and/or inhalation. The result >99% are variable based on uncertainty of measurement (UM) for the analyte. The UM error is available from the lab upon request. The "Decision Rule" for the pass/fail does not include the UM. The limits are based on F.S. Rule 64-4.310.

#### **Daniel Burriss**

Lab Director State License # 19-05-02P ISO/IEC 17025:2017



Duf Bris

11/18/21

Signature

Signed On

Page 1 of 3



**BlueLeaf Laboratory** 673 N. Bardstown Rd. Mount Washington, KY, 40047 (502) 444-2044 www.blueleaflaboratory.com Lic # 19-05-02P



## **Certificate of Analysis**

Central Processors, Inc.

2413 Leaphart Rd

West Columbia, SC, 29169 Telephone: 888-654-3223

Email: tracy@centralprocessors.com





CP1121CC Matrix: Derivative

Accession Number: 111621UD0002

Harvest/Lot ID: CP1121CC

Seed to Sale: \*

Batch Date: 11/15/21

Batch #:

Sample Size Received: 50 ml

**Retail Product Size:** 

Ordered: 11/15/21

Completed: 11/18/21

Expires: 11/17/22

Sampling Method: SOP Client Method

### **Pesticides**

### PASSED

DOQ RE  02 ND 05 ND 02 ND 01 ND	ppm	Level 0.5 2 0.4 3.0 0.4 0.2	Pass / Fail PASS PASS PASS PASS	Pesticides  Acephate Acetamiprid Azoxystrobin Bifenthrin Carbaryl	0.01 0.01 0.01 0.01	Result  ND  ND  ND  ND	ppm ppm ppm	Action Level	Pass / Fail Pass Pass
05 ND 02 ND 01 ND 02 ND	ppm ppm ppm ppm ppm ppm	2 0,4 3.0 0.4 0.2	PASS PASS PASS	Acetamiprid Azoxystrobin Bifenthrin	0.01	ND ND	ppm	0.2	(23)
02 ND 01 ND 02 ND 01 ND	ppm ppm ppm ppm	3.0 0.4 0.2	PASS PASS PASS	Azoxystrobin Bifenthrin	0.01	ND			(23)
01 ND 02 ND 01 ND	ppm ppm ppm ppm	3.0 0.4 0.2	PASS PASS PASS	Bifenthrin					11100
01 ND 01 ND 01 ND 01 ND 01 ND 01 ND 02 ND 01 ND	ppm ppm ppm	0.4	PASS PASS		0.01			0.2	PASS
01 ND 01 ND 01 ND 02 ND 01 ND	ppm ppm	0.2	PASS	Carbaryl		ND	ppm	0.2	PASS
01 ND 01 ND 02 ND 01 ND	ppm		2100		0.01	ND	ppm	0.2	PASS
01 ND 02 ND 01 ND		0.2	PASS	Chlorantraniliprole	0.01	ND	ppm	0.2	PASS
02 ND 01 ND	ppm	0.2	PASS	cis-Permethrin	0.0041	ND	ppm	0.4	PASS
01 ND		0.2	PASS	Coumaphos	0.01	ND	ppm	0.2	PASS
	ppm ppm	1	PASS	Daminozide	0.02	ND	ppm	1	PASS
01 ND	ppm	0.2	PASS	Dichlorvos	0.05	ND	ppm	0.1	PASS
140	ppm	0.2	PASS	Dimethomorph	0.005	ND	ppm	0.1	PASS
01 ND	ppm	0.2	PASS	Etofenprox	0.01	ND	ppm	0.4	PASS
01 ND	ppm	0.2	PASS	Fenhexamid	0.005	ND	ppm	0.1	PASS
01 ND	ppm	0.2	PASS	Fenpyroximate	0.01	ND	ppm	0.4	PASS
02 ND	ppm	0.4	PASS	Flonicamid	0.01	ND	ppm	1	PASS
01 ND	ppm	0.4	PASS	Hexythiazox	0.01	ND	ppm	1	PASS
01 ND	ppm	0.2	PASS	Imidacloprid	0.01	ND	ppm	0.4	PASS
01 ND	ppm	0.4	PASS	Malathion	0.01	ND	ppm	0.2	PASS
01 ND	ppm	0.2	PASS	Methiocarb	0.01	ND	ppm	0.2	PASS
01 ND	ppm	0.4	PASS	Mevinphos	0.01	ND	ppm	0.1	PASS
01 ND	ppm	0.2	PASS	Naled	0.01	ND	ppm	0.5	PASS
01 ND	ppm	1	PASS	Paclobutrazol	0.01	ND	ppm	0.4	PASS
05 ND	ppm	1	PASS	Phosmet	0.01	ND	ppm	0.2	PASS
01 ND	ppm	2	PASS	Prallethrin	0.05	ND	ppm	0.2	PASS
01 ND	ppm	0.4		Propoxur	0.01	ND	ppm	0.2	PASS
01 ND	ppm	1		Pyridaben	0.01	ND	ppm	0.2	PASS
01 ND	ppm	0.5		Spinosad (Spinosyn A)	0.01	ND	ppm	0.2	PASS
01 ND	ppm	0.2		Spiromesifen	0.01	ND	25000		PASS
02 ND	ppm	0.2		Spiroxamine	0.01	ND		0.2	PASS
01 ND	ppm	0.4		Thiacloprid	0.01	ND		0.2	PASS
01 ND	ppm	0.2		trans-Permethrin	0.0118	ND		0.4	PASS
01 ND	ppm	0.2	PASS			0.023		35550()	
000000000000000000000000000000000000000	1 ND	1 ND ppm	1 ND ppm 0,4 1 ND ppm 0,2 1 ND ppm 0.2 1 ND ppm 0.2 1 ND ppm 0.2 1 ND ppm 1 5 ND ppm 1 1 ND ppm 2 1 ND ppm 2 1 ND ppm 0.4 1 ND ppm 0.5 1 ND ppm 0.5 1 ND ppm 0.5 2 ND ppm 0.2 2 ND ppm 0.2 1 ND ppm 0.2	1 ND ppm 0.4 PASS 1 ND ppm 0.2 PASS 1 ND ppm 0.2 PASS 1 ND ppm 0.2 PASS 1 ND ppm 1 PASS 5 ND ppm 1 PASS 1 ND ppm 2 PASS 1 ND ppm 1 PASS 1 ND ppm 1 PASS 1 ND ppm 1 PASS 1 ND ppm 0.4 PASS 1 ND ppm 0.5 PASS 1 ND ppm 0.5 PASS 1 ND ppm 0.2 PASS 1 ND ppm 0.4 PASS	1         ND         ppm         0.4         PASS         Malathion           1         ND         ppm         0.2         PASS         Methiocarb           1         ND         ppm         0.4         PASS         Mevinphos           1         ND         ppm         0.2         PASS         Naled           1         ND         ppm         1         PASS         Pacobutrazol           5         ND         ppm         1         PASS         Phosmet           1         ND         ppm         2         PASS         Prallethrin           1         ND         ppm         0.4         PASS         Pyridaben           1         ND         ppm         0.5         PASS         Spinosad (Spinosyn A)           1         ND         ppm         0.2         PASS         Spiromesifen           2         ND         ppm         0.4         PASS         Thiacloprid           1         ND         ppm         0.4         PASS         trans-Permethrin	1         ND         ppm         0.4         PASS         Malathion         0.01           1         ND         ppm         0.2         PASS         Methiocarb         0.01           1         ND         ppm         0.4         PASS         Mevinphos         0.01           1         ND         ppm         0.2         PASS         Naled         0.01           1         ND         ppm         1         PASS         Paclobutrazol         0.01           5         ND         ppm         1         PASS         Phosmet         0.01           1         ND         ppm         2         PASS         Prallethrin         0.05           1         ND         ppm         0.4         PASS         Propoxur         0.01           1         ND         ppm         0.5         PASS         Pyridaben         0.01           1         ND         ppm         0.5         PASS         Spinosad (Spinosyn A)         0.01           1         ND         ppm         0.2         PASS         Spirowseifen         0.01           2         ND         ppm         0.4         PASS         Thiacloprid         0	1         ND         ppm         0.4         PASS         Malathion         0.01         ND           1         ND         ppm         0.2         PASS         Methiocarb         0.01         ND           1         ND         ppm         0.4         PASS         Mevinphos         0.01         ND           1         ND         ppm         0.2         PASS         Naled         0.01         ND           1         ND         ppm         1         PASS         Paclobutrazol         0.01         ND           5         ND         ppm         1         PASS         Phosmet         0.01         ND           1         ND         ppm         2         PASS         Prallethrin         0.05         ND           1         ND         ppm         0.4         PASS         Propoxur         0.01         ND           1         ND         ppm         1         PASS         Pyridaben         0.01         ND           1         ND         ppm         0.5         PASS         Spinosad (Spinosyn A)         0.01         ND           1         ND         ppm         0.2         PASS         Spirom	1         ND         ppm         0.4         PASS         Malathion         0.01         ND         ppm           1         ND         ppm         0.2         PASS         Methiocarb         0.01         ND         ppm           1         ND         ppm         0.4         PASS         Mevinphos         0.01         ND         ppm           1         ND         ppm         0.2         PASS         Naled         0.01         ND         ppm           1         ND         ppm         1         PASS         Paclobutrazol         0.01         ND         ppm           5         ND         ppm         1         PASS         Phosmet         0.01         ND         ppm           1         ND         ppm         2         PASS         Propoxur         0.01         ND         ppm           1         ND         ppm         1         PASS         Propoxur         0.01         ND         ppm           1         ND         ppm         1         PASS         Propoxur         0.01         ND         ppm           1         ND         ppm         0.5         PASS         Spirosad (Spinosyn A)	1         ND         ppm         0.4         PASS         Malathion         0.01         ND         ppm         0.2           1         ND         ppm         0.2         PASS         Methiocarb         0.01         ND         ppm         0.2           1         ND         ppm         0.4         PASS         Mevinphos         0.01         ND         ppm         0.1           1         ND         ppm         0.2         PASS         Naled         0.01         ND         ppm         0.5           1         ND         ppm         1         PASS         Paclobutrazol         0.01         ND         ppm         0.4           5         ND         ppm         1         PASS         Phosmet         0.01         ND         ppm         0.2           1         ND         ppm         2         PASS         Prolecter         0.01         ND         ppm         0.2           1         ND         ppm         0.4         PASS         Propoxur         0.01         ND         ppm         0.2           1         ND         ppm         0.5         PASS         Spirosad (Spinosyn A)         0.01         ND<

Shimadzu LCMSMS 8060

Pesticide screening is performed using LC/MS/MS which can screen down to below single digit ppb concentrations for the 57 pesticides analyzed. (Method: SOP.KY.02.022)

This report shall not be reproduced, unless in its entirety, without written approval from BlueLeaf Laboratory. This report is an BlueLeaf Laboratory certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly awayed otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds for human safety for consumption and/or inhalation. The result >99% are variable based on uncertainty of measurement (UM) for the analyte. The UM error is available from the lab upon request. The "Decision Rule" for the pass/fail does not include the UM. The limits are based on F.S. Rule 64-4.310.

#### **Daniel Burriss**

Lab Director State License # 19-05-02P ISO/IEC 17025:2017



Deep Bris

11/18/21

Signature

Signed On

Page 2 of 3



**BlueLeaf Laboratory** 673 N. Bardstown Rd. Mount Washington, KY, 40047 (502) 444-2044 www.blueleaflaboratory.com Lic # 19-05-02P



# **Certificate of Analysis**

Central Processors, Inc.

2413 Leaphart Rd

West Columbia, SC, 29169 Telephone: 888-654-3223

Email: tracy@centralprocessors.com





CP1121CC

Matrix: Derivative

Accession Number: 111621UD0002

Harvest/Lot ID: CP1121CC

Seed to Sale: \*

Batch Date: 11/15/21

Batch #:

Pass /

Fail

PASS

PASS

Sample Size Received: 50 ml

**Retail Product Size:** 

Ordered: 11/15/21

Completed: 11/18/21 Expires: 11/17/22

Sampling Method: SOP Client Method

Action

Level 0.2

0.2

Units

PASSE

My	coto	xins
----	------	------

Analyzed by

Analyte	LLOQ	Result	Units	Action Level	Pass / Fail	Analyte	LLOQ	Resul
Aflatoxin B1	0.001	ND	ppm	0.2	PASS	Aflatoxin B2	0.001	ND
Aflatoxin G1	0.001	ND	ppm	0.2	PASS	Aflatoxin G2	0.001	ND
Ocratoxin A+	0.001	ND	ppm	0.2	PASS			

Instrument used

Shimadzu LCMSMS 8060

Date

11/17/2021

Residual Solvents	PASSED
----------------------	--------

Solvent	LLOQ	Result	Units	Action Level	Pass/Fail
		TOTAL TOTAL		(PPM)	la liberal
2-Propanol	60	ND	ppm	5000	PASS
Acetone	60	ND	ppm	5000	PASS
Acetonitrile	60	ND	ppm	410	PASS
Butane	200	ND	ppm	5000	PASS
Ethanol	80	ND	ppm	5000	PASS
Ethyl Acetate	60	ND	ppm	5000	PASS
Ethyl Ether	40	ND	ppm	5000	PASS
Heptane	40	ND	ppm	5000	PASS
Hexane	40	ND	ppm	290	PASS
Isobutane	200	ND	ppm	5000	PASS
M/P-Xylene	80	ND	ppm	2170	PASS
Methanol	40	ND	ppm	3000	PASS
O-Xylene	40	ND	ppm	2170	PASS
Pentane	60	733	ppm	5000	PASS
Propane	400	ND	ppm	5000	PASS
Toluene	40	ND	ppm	890	PASS
Total Xylenes	120	ND	ppm	2170	PASS

Analyzed by	Date	Instrument used	<b>Analysis Method</b>
DB	11/17/2021	Shimadzu GC 2010+	SOP.KY.02.016

Residual solvents testing for 16 common extraction solvents is performed via GC/MS. (Method:

Heavy N	letals

Analysis Method

SOP.KY.02.022

### PASSE

Metal	LLOQ	Result	Unit	Action Level	Pass / Fail
Arsenic	0.2	ND	ppm	2	PASS
Cadmium	0.2	ND	ppm	2	PASS
Lead	0.2	ND	ppm	5	PASS
Mercury	0.2	ND	ppm	1	PASS

Analyzed by	Date	Instrument used	Analysis Method
DB	11/17/2021	Shimadzu ICP/MS	SOP.KY.02.020

Heavy Metals screening is performed using ICP-MS (Inductively Coupled Plasma - Mass Spectrometer) which can screen for toxic heavy metals (Arsenic, Cadmium, Lead, and Mercury). (Method SOP.KY.02.020)

### **Microbials**

### **PASSE**

Analyte	,ef
Aspergillus Flavus	
Aspergillus Fumigatus	
Aspergillus Niger	
Aspergillus Terreus	
E. Coli	
Salmonella	

not present in 1 gram. not present in 1 gram.

not present in 1 gram. not present in 1 gram. not present in 1 gram.

Analyzed by Date TW 11/17/2021

Instrument used PathogenDX

**Analysis Method** SOP, KY, 02, 018

Result

Microbiological testing for Fungal and Bacterial Identification via Polymerase Chain Reaction (PCR) method consisting of sample DNA amplified via tandem Polymerase Chain Reaction (PCR) as a crude lysate which avoids purification. (Method SOP.KY.02.018) If a pathogenic Escherichia Coli, Salmonella, Aspergillus fumigatus, Aspergillus flavus, Aspergillus niger, or Aspergillus terreus is detected in 1g of a sample, the sample fails the microbiological-impurity testing.

This report shall not be reproduced, unless in its entirety, without written approval from BlueLeaf Laboratory. This report is an BlueLeaf Laboratory certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds for human safety for consumption and/or inhalation. The result >99% are variable based on uncertainty of measurement (UM) for the analyte. The UM error is available from the lab upon request. The "Decision Rule" for the pass/fail does not include the UM. The limits are based on F.S. Rule 64-4.310.

#### **Daniel Burriss**

Lab Director State License # 19-05-02P ISO/IEC 17025:2017



11/18/21

Signature

Signed On

Page 3 of 3